

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

1238June 17, 1904

year, to 13.7 per thousand of the population, thereby corresponding

almost exactly with the figure for the same week of last year.

Among the large German towns and cities, only the following showed more favorable figures than this city, namely, Hamburg, Kiel, Elberfeld, Crefeld, Brunswick, Charlottenburg (with 11.5) and Schöneberg (with 10 per thousand). The following towns showed a considerably higher rate of mortality than the Berlin figure, namely, Hanover, Halle, Bremen, Frankfort on the Main, Dresden, Munich, Nuremberg, Stuttgart, Magdeburg, Cologne, Leipzig, Breslau, Rixdorf, (with 20.4) as well as London, Paris, and Vienna. The number of deaths among children in the first year of life steadily decreased during the last five weeks, while there was an increased mortality among the higher-age classes, as compared with the preceding week. The death rate among infants amounted to 3.2 per year and mille, this being less than half the Munich rate, but somewhat higher than the Hamburg figure.

Acute intestinal diseases claimed 42 victims; 11 persons died of cholerine. Furthermore there were registered 50 deaths from acute diseases of the respiratory organs; 81 deaths from phthisis pulmonalis; 30 deaths from cancer; 13 deaths from measles; 7 deaths from scarlet fever; 6 deaths from diphtheria; and, finally, 8 persons died by violence.

GUATEMALA.

Report from Livingston, fruit port.

Acting Assistant Surgeon Peters reports as follows: Week ended May 30, 1904: Present officially estimated population, 3,500; 1 death; prevailing diseases, malarial; general sanitary condition of this port and the surrounding country during the week, good.

Bills of health were issued to the following-named vessels:

Date.	Vessel.	Number of crew.	Number of passengers from this port.	Number of passengers in transit,	Pieces of baggage disin- fected.
May 24 24	Spero	15 41	4		

The steamship Anselm cleared from Puerto Barrios.

HAWAII.

Plague death in Honolulu.

Honolulu, June 9, 1904.

There was a death from plague on June 8.

Cofer.

Sailors of Pacific Squadron at Honolulu bathed and effects disinfected on account of mumps.

Chief Quarantine Officer Cofer reports, May 31, as follows:

On the request of the commander in chief of the Pacific Squadron 168 sailors were bathed and their clothes and other effects properly disinfected at the quarantine station on May 23. This was done as a 1239 June 17, 1904

partial precaution against the spread of mumps, a disease which has been prevalent among the men of the squadron for one or more months.

HONDURAS.

Report from Ceiba, fruit port.

Acting Assistant Surgeon Robertson reports as follows: Week ended May 28, 1904. Present officially estimated population about 4,000; 2 deaths. Prevailing diseases, malarial, mild type. General sanitary conditions of this port and the surrounding country during the week, good.

Bills of health were issued to the following-named vessels:

Date.	Vessel.	Number of crew.	Number of passengers from this port.	Number of passengers in transit.	Pieces of baggage disinfected.
May 22 23	Managua. Volund	16 17	0	0	0

Report from Puerto Cortez, fruit port.

Acting Assistant Surgeon Carter reports as follows: Week ended May 31, 1904. Present officially estimated population, 2,125; 1 death; prevailing disease, malarial fever of mild form. General sanitary condition of this port and the surrounding country during the week, good.

Bills of health were issued to the following-named vessels:

Date.	Vessel.	Number of crew.	Number of passengers from this port.	Number of passengers in transit.	Pieces of baggage disinfected.
May 24 26 27 28 31	España Anselm Hiram Habil Bratten	17 41 14 15 15	0 10 0 0 0	0 4 0 0 0	0 0 0 0

Number of aliens for the week, 7.

INDIA.

Report from Bombay—Mortality from plague and other diseases.

Acting Asst. Surg. Edward H. Hume reports, May 14, as follows:

Plague mortality of Bombay for the week ended May 10, 1904.

	Week of May 10, 1904.	
Plague attacks.	363	540
Plague deaths Plague mortality Smallpox deaths.	$\frac{324}{21.71}$	471 31, 56
Smallpox deaths.	25	17
Cholera deaths. Total deaths	$\frac{0}{842}$	0 994
Total mortality	56.42	66.60